


**EXHIBIT 4**

— SN 08/334,843





The Eclipse Sun Shade can be mounted without tools or drilling, and pulls from each side to accommodate the rear-view mirror.

unit utilizes 3M bonding tape to mount to the windshield, and is available in sizes to fit many vehicles, including those with extra large or curved windshields. The shade material is constructed from metalized fabric designed to provide optimum solar protection, durability and aesthetics. Eclipse SunShades open and close in seconds, and pull from each side to accommodate the rear-view mirror. For more information, contact Baker Auto Accessories at (303) 879-4200.

Circle 284 on Reader Inquiry Card

## Compact CD Storage Unit Designed for Portability and Protection

The PFN-12 CD case is Case Logic's lightest and most compact



The PFN-12 CD storage unit from Case Logic protects 12 audio or computer CDs and liner notes.

storage unit, according to the company. The 12-capacity disc case features dual, self-repairing zippers designed for quick access, a carrying handle and belt loop, and thick padding to protect audio or computer CDs.

The unit also allows users to carry the CD liner notes and spine labels with Case Logic's ProSleeves, protective holders for individual discs. For more information, contact Case Logic at (800) 447-4848.

Circle 285 on Reader Inquiry Card


## CD/Cassette Cases Designed to be Mounted in Auto Interiors

Fischer offers its line of CBOX storage cases, designed to protect audio cassettes and compact discs from dust, heat and sunlight.

The cases feature individual drawers with push-button releases designed to keep drivers' attention focused on the road. Each drawer has a red indica-

# SYLVESTER ELECTRONICS

We Are Proud To Announce We Are A Factory Authorized Distributor For The All New Car Alarm Line



a Division of Omega Research & Development Inc.

### Self Contained Models

#### FBI 410 Features:

Self Contained Unit, Programmable Current Sensing, 127 Db Siren, Built In Shock, Two 3 Freq. Transmitters, Pre-warm Circuit, Code Learning Transmitters, Remote Panic, Arm / Disarm Chirp, auto Rearm, door Open Auto Reset, L.E.D., Neg. Trigger Input, Starter Interrupt, Window Decals

#### FBI 411 Ads:

Parking Light Output

### Full Featured Modular Models

#### FBI 515 Features

2 Code Learning Transmitters, Parking Light Output, Door Lock Outputs, Trunk Release, Valet, Programmable Exit Delay, Passive Arming / Door Locking, Remote Panic, Arm / Disarm Chirp, auto Rearm, Door Open Auto Reset, L.E.D., Pos & Neg. Trigger Input, Starter Interrupt, Window Decals

#### FBI 517 Ads:

CODE JUMPING Technology

This Line Offers An Exceptional Value!

Call Our Toll Free Number For Pricing Or Call Our Fax On Demand System At: (401) 727-4331

## 800 225-5568

FAX (401) 724-0469  
HOURS: 8:30 A.M. - 5:30 E.S.T.  
16 DEXTER ST. CUMBERLAND RI 02864

Circle 201 on Inquiry Card

# Reader Service

- ▶ Reader service is **FREE PRODUCT INFORMATION** & we've made it so easy!
- ▶ Complete the Action Card in this issue to request **FREE** information on the products and services presented.
- ▶ Circle the numbers that correspond to those found in the advertisements and new product section.
- ▶ Reader Service will do the rest without cost or obligation.

# EXCALIBUR<sup>®</sup>

of America

# K-9

CAR ALARM

## No One DARE Comes Close To Our World-Class Features!



### Transmitter Verification™

Every time your customer enters their vehicle, our patent-pending feature tells them how many **UNAUTHORIZED** transmitters have been coded to operate their alarm.

### Code Learning

Adding or deleting factory coded transmitters is as easy as pressing a button - now giving your customers the comfort of knowing that their transmitter codes are concealed and protected from thieves.

### Code Jumping™

New technology that is capable of preventing "Code Grabbers" from disarming your customers' security system.

### Battery Back-Up

Now, when main battery power is interrupted, the Battery Back-Up feature will maintain essential security functions assuring the protection of your customer's vehicle.

**All these features and more  
PLUS Omega's "No Nonsense"  
Lifetime Warranty!**

Call us **TODAY** to see how **YOU** can become one of our Preferred Dealers and start receiving our **FREE** Customer Referral Leads.

# OMEGA

Toll Free (800) 554-4053 P.O. Box 508, Douglasville, GA 30133 Local (404) 942-9876

Circle 131 on Inquiry Card

s Advanced  
ch and ORA  
ink connect  
n-equipped  
fax and data

all PCMCIA  
omputer. But  
ould change  
s, a move that  
consumers to

nercials tout  
ax right from  
re. Well, after  
PDAs or per  
mmunicators  
ta capability)  
years ago and  
clarity. Manu  
to introduce  
ight or more  
day.

we have been  
I would call  
s," notes Mer  
with the wife  
apability built


May  
1995

## PRODUCT NEWS

### Test Drive Kit Simplifies Demonstrations

The Test Drive Kit from AudioControl permits the demonstration of the ESP-2 and The Epicenter without requiring the complete installation of the units first. The Test Drive Kit plugs into the vehicle's cigarette lighter and existing amp or crossover, using the supplied cables. It enables consumers to experience the effect of the two units in their own car, rather than on a store's product board.

The ESP-2 is a spatial restoration signal processor that makes it sound as though speakers are placed farther apart than is allowed in the confines of a car. The Epicenter is a bass



The AudioControl Test Drive Kit uses the customer's system to demonstrate the effect of the ESP-2 and the Epicenter.

restoration system that digitally restores the ultra-low bass that is lost in recording, mastering and duplication processes. For more information, contact AudioControl at (206) 775-8461.

Circle 224 on Reader Inquiry Card

### CDs Offer A Variety of Bass Sounds

Bass Central offers three new discs. "Danger: High Voltage," from Circuit Breaker, features 15 tracks produced by Debonaire Productions for I.B.P. "Fuzion Bass" features the new age bass sound of Boom Master: RGB. "The Bass Odyssey" by Bass 2001 is a cybertronic/technobass experience with laser/computer generated vocals over digital style. For more information, contact Bass Central at (407) 221-8446.

Circle 225 on Reader Inquiry Card

# SPHINX

## THE ULTIMATE AUTO SECURITY

- Superb Performance
- Ultimate Protection Features
- Easy Installation
- Compact and Solid Design
- Quality and Reliability
- Lifetime Limited Warranty
- Reasonable Price



### THE SPHINX-5000 FEATURES:

- Two dual-button 3-channel remotes (Capable of 4-channel acceptance)
- Up to 200 feet of transmitting range
- Remote panic protection in all modes
- Remote arm/disarm
- Door lock/unlock\*
- Protected valet mode
- Passive arming/active door lock\*
- Last door arming/automatic rearming
- Arm/disarm chirp selectable
- Passive/active arming selectable
- Starter disable\*
- Parking light flasher
- Remote trunk release\*
- Remote garage open
- Intrusion alert with memory
- Compact electronic shock sensor
- 6-tone siren with cricket sound
- 3-color LED status indicator
- Code learning with 120 million transmitter ID codes
- Self-diagnostic system checking
- Extensive connectors for additional functions

\* Some vehicles may require additional components.



FOR MORE INFORMATION CALL  
**(800) 9-SPHINX**

phone (415) 543-8282 fax (415) 543-9191

# SPHINX

## THE ULTIMATE AUTO SECURITY

A DIVISION OF ASPEN COMPANY

Circle 163 on Inquiry Card

August 1994 • Installation News

123



# M.A.T. Additional Features

All three models include the **M.A.T./Advanced Standard Features**... **plus**... each model offers a unique selection of the following additional features:

M.A.T. 5c	M.A.T. 6c	M.A.T. 10sx
--------------	--------------	----------------

**B** = Bonus Features **P** = Programmable Feature

- Battery Back-up Circuit:** The alarm will operate for approximately 4 days or 50 triggered alarm cycles, even if a would-be thief disconnects your car battery.
- Starter Disable:** Disconnects your vehicle's starter when the alarm is armed, or in panic mode. (Relay included with Model M.A.T. 10sx.)
- Arm/Disarm Confirmation:** Can be eliminated from the transmitter when arming or disarming.
- Remote Sensor Elimination:** After arming the alarm, a second transmitter code can be transmitted to temporarily eliminate the shock sensor protection until you re-arm the alarm.
- Zone Testing:** Test all your protected zones without arming the alarm through the LED flashing sequence every time you exit your vehicle.
- Keyless Entry:** With the alarm system programmed off (Valet mode), the remote transmitters will still lock and unlock the doors, operate radio and trunk release.
- Chirp Confirmation:** Sounds a distinctive chirp confirmation when arming or disarming the alarm.
- Transmitter Chirp Elimination:** Pressing designated transmitter buttons will arm or disarm the alarm system without sounding the chirp confirmation.
- Automatic Arming:** Automatically arms the alarm 30 seconds after the last door is closed, and, if programmed, can also lock doors.
- Doors Lock Automatically:** Doors lock 30 seconds after last door is closed with automatic arming feature turned on.
- Doors Locking/Unlocking:** Locks doors when ignition is turned on; unlocks doors when ignition is turned off.
- (2) or (3) Button Transmitter:** Two transmitters are included with each system.
- Light Activation/On Disarming:** Lights turn on for 30 or 60 seconds when alarm is deactivated to quickly locate your vehicle.
- Automatic Re-Arm:** Re-sets the alarm and locks the doors 90 seconds after disarming to prevent accidental deactivation.
- Temporary Valet:** After remotely disarming the alarm, a second code may be transmitted to temporarily keep the alarm disarmed until a door is opened and closed.
- Third Channel Output:** Extra circuit to operate additional items such as car starting equipment, window modules, etc.
- Anti-Carjack System:** Stops a thief's escape by first sending warning chirps, activating siren flashing lights and, finally, preventing restarting of the vehicle.
- One Step Trunk Release:** With a single transmitter command to activate trunk release your system will also disarm alarm, unlock doors, and turn on your lights. Most other systems require two transmitter steps.
- Smart Lock:** Allows you to disarm alarm and unlock driver door first, then unlock all doors upon a second transmitter signal.
- Dome Light Supervision:** Two on-board relays, one relay can select positive or negative dome light circuit activation of 30 or 60 seconds after disarming.
- Code Jumping:** This feature automatically changes the transmitter and receiver to a new code every time you use it — making code theft virtually impossible.
- Dual Zone Shock Sensor:** Our top of the line Dual Zone Shock Sensor is included to detect light or forceful shocks and activate the early warning full trigger circuit.
- Extra Long Transmitter Range:** This new technology helps to overcome signal interference in metropolitan areas. A green LED display on each transmitter confirms the Long Range Feature.

Some Vehicles Require Additional Parts And Labor For These Features.

**OMEGA** RESEARCH AND DEVELOPMENT, INC.

The Model 3001 has been our most popular alarm system for the last three years. Offering the most requested features at an affordable price, the Model 3001 has been *improved for 1994* to include even more standard features. For more information on the new additions, see the features list below. (Quantity pricing in the low \$40's.)

- |  |   |
|--|---|
| <input type="checkbox"/> Multi-Function Transmitter  | <input type="checkbox"/> Flashing Parking Lights  |
| <input type="checkbox"/> Door Lock/Unlock Outputs    | <input type="checkbox"/> Electronic Impact Sensor |
| <input type="checkbox"/> Chirp Eliminate (By Remote) | <input type="checkbox"/> Six Tone Siren           |
| <input type="checkbox"/> Vehicle Disable Output      | <input type="checkbox"/> Ignition Auto Lock       |
| <input type="checkbox"/> Second/Third Channel Output | <input type="checkbox"/> Diagnostic Chirps        |
| <input type="checkbox"/> Faulty Sensor By-Pass       | <input type="checkbox"/> Domelight Supervision    |

MADE IN USA!



We are proud to introduce the newest addition to our alarm family, the Micro 6001. Microprocessor controlled, our new 6001 alarm includes a Dual Zone Impact Sensor and (2), Code Learning, Three Button Remotes that operate multiple alarm functions. Second and Third channel functions, Chirp Eliminate and Select Sensor By-pass are only a few you can select. (Quantity pricing in the mid \$40's.)


- |  |  |
|--|--|
| <input type="checkbox"/> Three Button Transmitters   | <input type="checkbox"/> Dual Zone Impact Sensor   |
| <input type="checkbox"/> Door Lock/Unlock Outputs    | <input type="checkbox"/> Six Tone Siren            |
| <input type="checkbox"/> Flashing Parking Lights     | <input type="checkbox"/> Ignition Auto Lock        |
| <input type="checkbox"/> Multi-Function Transmitter  | <input type="checkbox"/> Keyless Entry (By Remote) |
| <input type="checkbox"/> Chirp Eliminate (By Remote) | <input type="checkbox"/> Select Sensor By-Pass     |
| <input type="checkbox"/> Second/Third Channel Output | <input type="checkbox"/> Domelight Supervision     |

MADE IN USA!

The Model 1001 and 1002 are money makers! Recently introduced, the 1001/1002 have already soared to a remarkable level. These easy to install, four wire alarms, include features every customer requests in a small and profitable package. (Quantity pricing in the low \$30's.)

- |   |  |
|---|--|
| <input type="checkbox"/> Multi-Function Remotes                         | <input type="checkbox"/> Electronic Shock Sensor |
| <input type="checkbox"/> Six Tone Programmable Siren                    | <input type="checkbox"/> Extra Bright L.E.D.     |
| <input type="checkbox"/> Starter Disable Output                         | <input type="checkbox"/> Current Sensing         |
| <input type="checkbox"/> Remote Panic                                   | <input type="checkbox"/> Arm/Disarm Chirps       |
| <input type="checkbox"/> One Minute Siren Duration                      | <input type="checkbox"/> Automatic Reset         |
| <input type="checkbox"/> Second Car Operation                           | <input type="checkbox"/> Diagnostic Chirps       |
| <input type="checkbox"/> Flashing light with Built-In Relay (1002 only) |  |

MADE IN USA!



Installation done July 1994




## **STATE-OF-THE-ART MOBILE SECURITY AND A STATED COMMITMENT: TO QUALITY**

As an O.E.M. supplier for many of the world's leading vehicle manufacturers, S.D.I. has developed very demanding Quality Assurance standards. There is no acceptable defect rate! In fact, at our plant, defects are measured in parts per million.



Multiple Channel  
Transmitter



Dash Mounted  
Status Monitor

**Standard Features:** Code Learning, Anti-Scanning, Shock Sensing, Starter Disable, Light Flashing, Door Lock Interface, Trunk Release, Dome Light Supervision, Passive/Active Operation, Status Indicator, Mode Switch, Panic, Self Diagnostics, and On Board Relays.

### **TO DEALERS**

A (5) Year, Parts and Labor Warranty To express our confidence and insure yours.

### **TO CUSTOMERS**

**We offer a \$1000.00 Loss Protection Program**  
that covers the Entire Insurance deductible, for Theft, Breakdown, as well as Total Loss.

### **PLUS**

Rental Car Reimbursement during the repair period. Limited to one week or \$200.00.

### **PLUS**

A national discount number for **AVIS**, as our preferred rental car provider, any time a rental car is needed, for any reason. Customer identification information is included with every system!

### **TO PROFITS**

Quality, Warranty, and Customer Support programs are only a part of our total commitment. When combined with Competitive Pricing, Price Protection, and Selected Distribution, an "Authorized S.D.I. Dealership" is a valuable Asset!

SECURITY DEVICES INC. A Division of Lincoln Automotive, Inc. 15821 Chantrelle Rd. Suite A, Huntington Beach, CA 92649 (309) SD LITON (1-800-785-1836)  
Circle 10 on Inquiry Card


March 1999

Installation News



# SOME PEOPLE NEVER LEARN!


With CODEBUMP™ technology,  
code grabbing is a thing of the past.



Be prepared for today's car thieves with SECO-LARM®'s new ENFORCER® 100A8, featuring patented CODEBUMP™ technology. With CODEBUMP™, the alarm's RF code changes every time the transmitter button is pressed. In addition, with over 18 quintillion ( $1.8 \times 10^{19}$ ) codes, the chances of ever repeating a code are virtually non-existent. So-called "code-grabbers" and "scanners" are rendered obsolete - a thing of the past.

The ENFORCER® 100A8 also comes with all of these advanced features:

- Code learning of up to 5 different transmitters utilizing EEPROM microprocessor.
- All plug-in lock & modular features for simpler installation and trouble shooting.
- Patented 2-stage electromagnetic shock sensor with built-in pre-intrusion alert to warn off thieves.
- Miniature alarm brain and RF transmitters.
- Quiet Chirp™ and Quiet Mode to avoid disturbing your neighbors when arming and disarming.
- Lifetime Limited Warranty.



## SECO-LARM®

17811 SKY PARK CIRCLE, SUITE D & E  
IRVINE, CA 92714

(800) 662-0800, Calif. (714) 261-2999 FAX (714) 261-7326

Circle 165 on Inquiry Card

*Installation News*

*December 1994*

## Alarm Features

	FBI-410	FBI-411	FBI-515	FBI-517
One Piece Self-Contained Alarm System	X	X	X	X
Transmitter Programmable Shock Sensor	X	X	X	X
127dB Piezo Siren	X	X	X	X
Built-In Shock Sensor	X	X	X	X
Two Three Freq. Key Chain Transmitters	X	X	X	X
Pre-Alarm Circuit	X	X	X	X
CODE LEARNING Transmitters	X	X	X	X
Remote Panic From Transmitters	X	X	X	X
Scan Deferent Receiver	X	X	X	X
Anti Jamming Chirp	X	X	X	X
Dis. Confirmation Chirp	X	X	X	X
Auto. 60 Second Shutdown and Rearm	X	X	X	X
Door Open Auto Reset	X	X	X	X
E.E.D. Status Indicator Light	X	X	X	X
Negative Trigger Input	X	X	X	X
Starter Interrupt Circuit	X	X	X	X
Two Window Decals	X	X	X	X
Limited Lifetime Warranty	X	X	X	X
Parking Light Output	X	X	X	X
Positive Trigger Input	X	X	X	X
Door Lock / Unlock Output	X	X	X	X
Modular Style Alarm System	X	X	X	X
Trunk Release Output	X	X	X	X
Wiper Switch	X	X	X	X
127dB Multi-Tone 12 Volt Siren	X	X	X	X
Programmable Exit Delay	X	X	X	X
Programmable Passive Arming	X	X	X	X
Programmable Passive Door Locking	X	X	X	X
CO MPING™ Technology	X	X	X	X

## FBI Car Alarm Limited Lifetime Warranty

FBI Car Alarm will repair or replace any factory defective electronic parts to the original owner for the lifetime of the vehicle in which it was originally installed FREE of charge for the first year with a nominal charge for labor, handling, and shipping thereafter. See the Owners Manual for complete warranty details.

FBI Car Alarm  
981 North Burnt Hickory Road  
Douglasville, Georgia 30134  
(404) 942-9876


# FBI CAR ALARM

## Alarm Accessories




AU-94 Proximity Sensor & AU-94T Dual Zone

**Proximity Sensor**  
Our popular single zone and dual zone "Radar" style sensors are designed to detect an intruder's presence and trigger your alarm before he actually touches your vehicle. Sensitivity range is fully adjustable on both sensors.



AU-84T Shock Sensor:

Our dual zone Magnetic-Induction shock sensor with pre-armed output will detect sharp forceful blows a thief would use to break into your vehicle. A soft "bump" will cause the alarm to chirp warning the offender away. A hard hit will cause the siren to sound.




AU-95T Dual Zone Air Pressure Sensor

As the newest sensor to our line, the AU-95T has been specifically designed to detect the sharp air pressure changes created inside a vehicle whenever a door is opened or closed. Both zones are independently adjustable for maximum efficiency.

Distributed By:

# FBI CAR ALARM

Since 1970,  
More Than 8 Million People World-Wide  
Have Trusted Their Vehicles Security  
To the Makers Of  
FBI Car Alarms



## MODELS:

FBI-410  
FBI-411  
FBI-515  
FBI-517

AFFORDABLE PROTECTION  
SOLID AS STEEL!

Installation News April 1995

# Crank It Up!

## With the Smart Remote Starter™



**W**arm up your winter sales, put a bounce in your spring profits, and earn cool cash all summer long selling the incredible Clifford *Smart Remote Starter*™—the ultimate automotive accessory for all seasons. Your customers can start their vehicle's engine from up to 300 feet away with just a press on the miniature remote control! Imagine the comfort of total climate control when the driver is greeted by a cozy warm interior in the dead of winter, and a refreshingly cool one at the height of summer. Clifford's *Smart Remote Starter* is a stunning technological marvel that combines parallel processing, dual CMOS microprocessors and a sophisticated artificial intelligence algorithm to execute and supervise all operations at an incredible one million operations per second. Just check out the remarkable standard features of the *Smart Remote Starter*:

- ☑ **Miniature Remote Control**—Starts the engine or shuts it down from up to 300 feet away.
- ☑ **MultiRemote™ Recognition**—Forget those complex coding procedures for extra remote controls. Just a push of a button instantly, electronically and automatically codes in as many as four completely *different* Clifford remote controls regardless of type or specific code. Choose standard (16,000 codes), MegaCode™ (one million codes) or the incredible UltraCode™ (four billion codes)—or all of them together.
- ☑ **Automatic Safety Check**—Will not initiate remote starting unless the transmission is in Park, the engine is not overheated, and the hood is closed.
- ☑ **Automatic Fuel Priming**—Activates the vehicle's electronic fuel pump a fraction of a second prior to cranking the engine.
- ☑ **Visual Confirmation**—Parking lights blink twice to confirm initiation of the engine starting process.
- ☑ **Automatic Cold Weather Cranking**—Canks for up to 10 seconds or until the engine starts.

Installation of the *Smart Remote Starter* is straightforward, requires no mechanical knowledge, and can be performed by most alarm installers in less than three hours. For additional convenience, order the optional dual-button *Remote QuickLock™* and your customer will get a remote control that commands both the *Smart Remote Starter* and the vehicle door locks.

The ultimate in convenience is also affordable. The *Smart Remote Starter* costs no more than a mid-range car stereo.


- ☑ **AutoRestart™**—If the engine does not start, or starts and then stalls, the *Smart Remote Starter* will automatically try to restart the engine up to three times.
- ☑ **Automatic "Over-Rev" Protection**—Guards against stuck throttle conditions.
- ☑ **StarterGuard™**—Automatically prevents starter grinding if the ignition switch is accidentally turned to the starter position while the engine is running.
- ☑ **AutoShutDown™**—Automatically shuts down the engine after 10 minutes if the vehicle is left unattended.
- ☑ **Cellular Antenna**—Elegant high-gain (+ 5dB) antenna easily mounts on the trunk lip without drilling a hole.
- ☑ **Anti-Theft Measures**—If anyone other than the owner tries to drive the vehicle or even open the hood, *Smart Remote Starter* will automatically and immediately shut down the engine.
- ☑ **Self-Programming**—Automatically programs itself to the number of the engine cylinders.

September 1988

**CLIFFORD**  
ELECTRONICS, INC.

Installation  
News

20750 Lassen Street • Chatsworth, California • (818) 709-7551



### ■ UNIVERSAL POWER-WINDOW

Patented



Model: 8000, 12V. DUAL WINDOW MOTOR KIT

- 2-WINDOW MOTOR KIT.
- FAST, QUIET AND SMOOTH WINDOW OPERATION.
- NEW POWERFUL MOTOR WITH THERMAL BREAKER.
- IMPROVED TRANSMISSION STRUCTURE, TRANSMISSION.
- CABLE EXTENSION ADAPTABLE.
- COMPLETE SPARE PARTS.
- A VARIETY OF SWITCHES & FRAMES AVAILABLE TO HELP COMPLEMENT VEHICLE INTERIOR.

#### SWITCH




#### SWITCH FRAME



### ■ GUN SHAPE POWER-LOCK

Model: 2200 (2-door) 2290 (Remote 2-door)  
4200 (4-door) 4290 (Remote 4-door)  
2202 (2-wire actuator)  
2205 (5-wire actuator)


- TRAVEL DISTANCE: 3/4 INCH
- BOTH FRONT DOORS CONTROL
- TORQUE: 6.6 LB.
- COMPATIBLE WITH ALARM



### ■ O. E. TYPE POWER-LOCK

Model: 2300 (2-door) 2390 (Remote 2-door)  
4300 (4-door) 4390 (Remote 4-door)  
2302 (2-wire actuator)  
2305 (5-wire actuator)


- TRAVEL DISTANCE: 3/4 INCH
- BOTH FRONT DOORS CONTROL
- TORQUE: 5.95 LB.
- COMPATIBLE WITH ALARM



### ■ H-TYPE POWER DOOR-LOCK

Model: 2500 (2-door system)  
2590 (Remote control 2-door)  
4500 (4-door system)  
4590 (Remote control 4-door)  
2502 (2-wire actuator)  
2505 (5-wire actuator)  
2501 (Switch act. 2-door)  
4501 (Switch act. 4-door)

- TRAVEL DISTANCE 11/16 INCH (18mm)
- PUSH/PULL FORCE: 11.0 LB (5 kgs)
- MANUAL OPERATION FORCE: 5 OZ (140 gs)



Patented

### ■ REMOTE SECURITY SYSTEM FOR VEHICLES


Model: 400, 600, 360 & 260 series

- CODE-LEARNING
- VALET/OVERRIDE SWITCH
- STATUS LED
- AUDIO ARM/DISARM/DEFECTIVE ZONE CONFIRMATION
- DEFECTIVE ZONE BY-PASS
- MUTE ARM/DISARM
- PASSIVE, TWICE/ACTIVE ALARM/LOCK SELECTABLE
- VOLTAGE SENSING SELECTABLE
- PARKING LIGHT FLASH
- 2-STAGE & REMOTE CONTROL SHOCK SENSOR
- REMOTE WINDOW CLOSING AND/OR OPENING
- REMOTE ILLUMINATED ENTRY
- CARJACKING PROTECTION
- WARNING AWAY/CAR LOCATOR
- STARTER DISABLE
- REMOTE KEYLESS ENTRY
- REMOTE TRUNK RELEASE
- PANIC
- HORN STOP
- 6 TONE SIREN

### ■ RANDOM-CODE REMOTE SECURITY SYSTEM

Model: 702

- The both codes of transmitter & receiver will be changed at the same time after each arm/disarm




### ■ DIY ALARM

PATENTED

Model: 200

- BUILT-IN 2-STAGE AND REMOTE CONTROL SHOCK SENSOR
- VOLTAGE SENSOR
- 6-TONE SIREN WITH REMOTE SELECT POLICE SOUND
- PANIC
- 2-WIRE HOOK UP
- SPARE REMOTE KEYLESS ENTRY
- CARJACK PROTECTION
- WARNING AWAY/CAR LOCATOR



### ■ WINDOW/SUNROOF CONTROLLER

### ■ WINDOW/SUNROOF CLOSER

**U-CON Corp.** 15323 Proctor Ave., City of Industry, CA 91745-1022  
TEL: (818) 855-0973, 855-0944 FAX: (818) 855-0934  
Come see us at the ME Show, Booth # 259

**CALL TOLL FREE**  
**1-800-823-8266**

© 1995 U-CON

Circle 149 on Inquiry Card

Installation News April 1995

## K-9 MODELS FOR CUSTOMIZED PROTECTION


Each of K-9's three models offers you today's best value in vehicle security.

Our impressive list of standard features sets the pace in anti-theft vehicle security.

K-9's programmable and optional features give you the flexibility to customize your system of maximum vehicle security and personal protection.



## WHEN THESE STANDARD ANTI-THEFT FEATURES

- Transmitter Code Verification - This patent pending transmitter code verification system is related to your system key. Code verification is required for any remote start or transmitter and adds an extra layer of protection to your system.
- Easy Entry - As your patent pending circuit makes it easy to disarm the alarm, it also makes it easy to enter the vehicle.
- Temporary Mute - After arming the alarm, a second code may be transmitted to temporarily mute the alarm for a limited time.
- Zone Testing - Test all your protected zones without arming the alarm.
- Personal Panic Protection - Panic mode may be triggered from your transmitter or by a push button located inside the vehicle. When activated, the alarm will sound and the siren will flash.
- Low Fuel Siren - The siren changes pitch 12 times over a 120 dB range.
- Dual Zone Trigger Circuit - Zone one directs light shocks and activates the alarm's siren. Zone two directs light shocks to trigger the full alarm condition.
- Remote Sensor Elimination - After arming the alarm, a second transmitter code will be transmitted to temporarily eliminate the stock sensor protection until you re-arm the alarm.
- Auto-Circuit Bypass - If an entry point is left open or not functioning, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- Automatic Shutdown and Re-arm - Once the alarm is triggered, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- Anti-Jam Flashing Light and Siren - When out of range for confirmation of arm or disarm, the system will flash the siren and light.




## PACK OF K-9'S THREE MODELS INCLUDE ALL THE STANDARD FEATURES LISTED ABOVE PLUS THE FOLLOWING FEATURES:

- 1. 3-Button Standard - Programmable
- 2. Automatic Panic Protection - When the alarm is triggered, the alarm will sound and the siren will flash.
- 3. Low Fuel Siren - The siren changes pitch 12 times over a 120 dB range.
- 4. Dual Zone Trigger Circuit - Zone one directs light shocks and activates the alarm's siren. Zone two directs light shocks to trigger the full alarm condition.
- 5. Remote Sensor Elimination - After arming the alarm, a second transmitter code will be transmitted to temporarily eliminate the stock sensor protection until you re-arm the alarm.
- 6. Auto-Circuit Bypass - If an entry point is left open or not functioning, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- 7. Automatic Shutdown and Re-arm - Once the alarm is triggered, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- 8. Anti-Jam Flashing Light and Siren - When out of range for confirmation of arm or disarm, the system will flash the siren and light.
- 9. Automatic Panic Protection - When the alarm is triggered, the alarm will sound and the siren will flash.
- 10. Low Fuel Siren - The siren changes pitch 12 times over a 120 dB range.
- 11. Dual Zone Trigger Circuit - Zone one directs light shocks and activates the alarm's siren. Zone two directs light shocks to trigger the full alarm condition.
- 12. Remote Sensor Elimination - After arming the alarm, a second transmitter code will be transmitted to temporarily eliminate the stock sensor protection until you re-arm the alarm.
- 13. Auto-Circuit Bypass - If an entry point is left open or not functioning, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- 14. Automatic Shutdown and Re-arm - Once the alarm is triggered, the system will automatically shut down and re-arm in 60 seconds to detect another entry.
- 15. Anti-Jam Flashing Light and Siren - When out of range for confirmation of arm or disarm, the system will flash the siren and light.



September 1995 Installation News






The Eclipse Sun Shade can be mounted without tools or drilling, and pulls from each side to accommodate the rear-view mirror.

unit utilizes 3M bonding tape to mount to the windshield, and is available in sizes to fit many vehicles, including those with extra large or curved windshields. The shade material is constructed from metalized fabric designed to provide optimum solar protection, durability and aesthetics. Eclipse SunShades open and close in seconds, and pull from each side to accommodate the rear-view mirror. For more information, contact Baker Auto Accessories at (303) 879-4200.

Circle 284 on Reader Inquiry Card

## Compact CD Storage Unit Designed for Portability and Protection

The PFN-12 CD case is Case Logic's lightest and most compact



The PFN-12 CD storage unit from Case Logic protects 12 audio or computer CDs and liner notes.

storage unit, according to the company. The 12-capacity disc case features dual, self-repairing zippers designed for quick access, a carrying handle and belt loop, and thick padding to protect audio or computer CDs.

The unit also allows users to carry the CD liner notes and spine labels with Case Logic's ProSleeves, protective holders for individual discs. For more information, contact Case Logic at (800) 447-4848.

Circle 285 on Reader Inquiry Card


## CD/Cassette Cases Designed to be Mounted in Auto Interiors

Fischer offers its line of CBOX storage cases, designed to protect audio cassettes and compact discs from dust, heat and sunlight.

The cases feature individual drawers with push-button releases designed to keep drivers' attention focused on the road. Each drawer has a red indica-

## SYLVESTER ELECTRONICS

We Are Proud To Announce We Are A Factory Authorized Distributor For The All New Car Alarm Line



a Division of Omega Research & Development Inc.

### Self Contained Models

#### FBI 410 Features:

Self Contained Unit, Programmable Current Sensing, 127 Db Siren, Built In Shock, Two 3 Freq. Transmitters, Pre-warm Circuit, Code Learning Transmitters, Remote Panic, Arm/Disarm Chirp, auto Rearm, door Open Auto Reset, L.E.D., Neg. Trigger Input, Starter Interrupt, Window Decals

#### FBI 411 Ads:

Parking Light Output

### Full Featured Modular Models

#### FBI 515 Features

2 Code Learning Transmitters, Parking Light Output, Door Lock Outputs, Trunk Release, Valet, Programmable Exit Delay/Passive Arming/Door Locking, Remote Panic, Arm/Disarm Chirp, auto Rearm, Door Open Auto Reset, L.E.D., Pos & Neg. Trigger Input, Starter Interrupt, Window Decals

#### FBI 517 Ads:

CODE JUMPING Technology

This Line Offers An Exceptional Value!

Call Our Toll Free Number For Pricing Or Call Our Fax On Demand System At: (401) 727-4331

**800 225-5568**

FAX (401) 724-0469  
HOURS: 8:30 A.M. - 5:30 E.S.T.  
16 DEXTER ST. CUMBERLAND RI 02864

Circle 201 on Inquiry Card

## Reader Service


- ▶ Reader service is **FREE PRODUCT INFORMATION** & we've made it so easy!
- ▶ Complete the Action Card in this issue to request **FREE** information on the products and services presented.
- ▶ Circle the numbers that correspond to those found in the advertisements and new product section.
- ▶ Reader Service will do the rest without cost or obligation.



# EXCALIBUR of America

## K-9 CAR ALARM

No One DARE Comes Close To Our World-Class Features!



### Transmitter Verification™

Every time your customer enters their vehicle, our patent-pending feature tells them how many UNAUTHORIZED transmitters have been coded to operate their alarm.

### Code Learning

Adding or deleting factory-coded transmitters is as easy as pressing a button - now giving your customers the comfort of knowing that their transmitter codes are concealed and protected from thieves.

### Code Jumping™

New technology that is capable of preventing "Code Grabbers" from discerning your customer's security system.

### Battery Back-Up

Now, when main battery power is interrupted, the Battery Back-Up feature will maintain essential security functions assuring the protection of your customer's vehicle.

All these features and more  
**PLUS Omega's "No Nonsense" Lifetime Warranty!**

Call us TODAY to see how YOU can become one of our Preferred Dealers and start receiving our FREE Customer Referral Leads.

## OMEGA

Toll Free (800) 554-4053 P.O. Box 508, Douglasville, GA 30133 Local (404) 942-9376

Circle 131 on Inquiry Card

s Advanced  
ch and ORA  
ink connec  
n-equipped  
fax and data

all PCMCIA  
mputer. But  
ould change  
, a move that  
onsumers to

nercials tout  
ax right from  
re. Well, after  
PDAs or per  
nmunicator  
ta capability)  
ears ago and  
clarity. Many  
to introduce  
ight or more  
day.


we have been  
I would call  
s," notes Mer  
with the wire  
apability built

May  
1995

## Test Drive Kit Simplifies Demonstrations

The Test Drive Kit from AudioControl permits the demonstration of the ESP-2 and The Epicenter without requiring the complete installation of the units first. The Test Drive Kit plugs into the vehicle's cigarette lighter and existing amp or crossover, using the supplied cables. It enables consumers to experience the effect of the two units in their own car, rather than on a store's product board.

The ESP-2 is a spatial restoration signal processor that makes it sound as though speakers are placed farther apart than is allowed in the confines of a car. The Epicenter is a bass



The AudioControl Test Drive Kit uses the customer's system to demonstrate the effect of the ESP-2 and the Epicenter.

restoration system that digitally restores the ultra-low bass that is lost in recording, mastering and duplication processes. For more information, contact AudioControl at (206) 775-8461.

Circle 224 on Reader Inquiry Card

## CDs Offer A Variety of Bass Sounds

Bass Central offers three new discs. "Danger: High Voltage," from Circuit Breaker, features 15 tracks produced by Debonaire Productions for L.B.P. "Fuzion Bass" features the new age bass sound of Boom Master: RGB. "The Bass Odyssey" by Bass 2001 is a cybertronic/technobass experience with laser/computer generated vocals over digital style. For more information, contact Bass Central at (407) 221-8446.


Circle 225 on Reader Inquiry Card

# SPHINX

## THE ULTIMATE AUTO SECURITY

- Superb Performance
- Ultimate Protection Features
- Easy Installation
- Compact and Solid Design
- Quality and Reliability
- Lifetime Limited Warranty
- Reasonable Price

## YOUR CAR IS SECURE WITH SPHINX!



### THE SPHINX-5000 FEATURES:

- Two dual-button 3-channel remotes (Capable of 4-channel acceptance)
- Up to 200 feet of transmitting range
- Remote panic protection in all modes
- Remote arm/disarm
- Door lock/unlock\*
- Protected valet mode
- Passive arming/active door lock\*
- Last door arming/automatic rearming
- Arm/disarm chirp selectable
- Passive/active arming selectable
- Starter disable\*
- Parking light flasher
- Remote trunk release\*
- Remote garage open
- Intrusion alert with memory
- Compact electronic shock sensor
- 6-tone siren with cricket sound
- 3-color LED status indicator
- Code learning with 120 million transmitter ID codes
- Self-diagnostic system checking
- Extensive connectors for additional functions

\* Some vehicles may require additional components.

FOR MORE INFORMATION CALL  
**(800) 9-SPHINX**

phone (415) 543-8282 fax (415) 543-9191

# SPHINX

## THE ULTIMATE AUTO SECURITY


A DIVISION OF ASPEN COMPANY

# Henry stopped making them all black.

And so have we. Because there's no reason that a powerful vehicle security system transmitter can't be as stylish as the car it protects.

Introducing optional color transmitters for two of America's hottest and most highly regarded vehicle security systems: Stealth and Derringer/2 by Vehicle Security Electronics.

Ultra-thin, easily programmed and reprogrammed, the one-button Stealth transmitter is as easy to use as it is reliable. The two-button Derringer/2 transmitter can remotely control complete vehicle security systems for two cars. The Derringer/2 has dual auxiliary outputs for a variety of convenience applications, e.g., window control.



A continuing pioneer in automotive protection—and now in vehicle security fashion—VSE developed the first multi-button remote control and the first auto security system with remote panic as a standard feature. Remote panic is included on all VSE RF products, along with dozens of other valuable options, including a starter inhibit so no thief can start a vehicle armed with a VSE RF security system, properly installed.

Both systems, and our new colorful transmitters, are more than simply state-of-the-art. They're engineered, designed and tested in the U.S.A., and come with a five-year warranty. We think Henry would have liked that too.



**VEHICLE  
SECURITY  
ELECTRONICS**  
INCORPORATED

**Vehicle Security Electronics, Inc.**  
*The Leader in Automotive Protection Technology*  
21540-F Prairie Street • Chatsworth, CA 91311  
818/700-7900 • FAX: 818/700-7926

Distributed in Canada by: S. Greene Marketing • 8255 Mountain Sights #015 • Montreal, QUE H4P 2B5 • 514/342-9800

Circle 103 on Inquiry Card

*Fact Book 1989*






The Model 3001 has been our most popular alarm system for the last three years. Offering the most requested features at an affordable price, the Model 3001 has been improved for 1994 to include even more standard features. For more information on the new additions, see the features list below. (Quantity pricing in the low \$40's.)

- ☐ Multi-Function Transmitter
- ☐ Flashing Parking Lights
- ☐ Door Lock/Unlock Outputs
- ☐ Electronic Impact Sensor
- ☐ Chirp Eliminate (By Remote)
- ☐ Six Tone Siren
- ☐ Vehicle Disable Output
- ☐ Ignition Auto Lock
- ☐ Second/Third Channel Output
- ☐ Diagnostic Chirps
- ☐ Faulty Sensor By-Pass
- ☐ Domelight Supervision

MADE IN USA!



We are proud to introduce the newest addition to our alarm family, the Micro 6001. Microprocessor controlled, our new 6001 alarm includes a Dual Zone Impact Sensor and (2), Code Learning, Three Button Remotes that operate multiple alarm functions. Second and Third channel functions, Chirp Eliminate and Select Sensor By-pass are only a few you can select. (Quantity pricing in the mid \$40's.)


- ☐ Three Button Transmitters
- ☐ Dual Zone Impact Sensor
- ☐ Door Lock/Unlock Outputs
- ☐ Six Tone Siren
- ☐ Flashing Parking Lights
- ☐ Ignition Auto Lock
- ☐ Multi-Function Transmitter
- ☐ Keyless Entry (By Remote)
- ☐ Chirp Eliminate (By Remote)
- ☐ Select Sensor By-Pass
- ☐ Second/Third Channel Output
- ☐ Domelight Supervision

MADE IN USA!

The Model 1001 and 1002 are money makers! Recently introduced, the 1001/1002 have already soared to a remarkable level. These easy to install, four wire alarms, include features every customer requests in a small and profitable package. (Quantity pricing in the low \$30's.)

- ☐ Multi-Function Remotes
- ☐ Electronic Shock Sensor
- ☐ Six Tone Programmable Siren
- ☐ Extra Bright L.E.D.
- ☐ Starter Disable Output
- ☐ Current Sensing
- ☐ Remote Panic
- ☐ Arm/Disarm Chirps
- ☐ One Minute Siren Duration
- ☐ Automatic Reset
- ☐ Second Car Operation
- ☐ Diagnostic Chirps
- ☐ Flashing light with Built-In Relay (1002 only)


MADE IN USA!





**S.D.I.**  
SECURITY DEVICES INC.

# STATE-OF-THE-ART MOBILE SECURITY AND A STATED COMMITMENT TO QUALITY

As an O.E.M. supplier for many of the world's leading vehicle manufacturers, S.D.I. has developed very demanding Quality Assurance standards. There is no acceptable defect rate! In fact, at our plant, defects are measured in parts per million.



Multiple Channel Transmitter



Dash Mounted Status Monitor

Standard Features: Code Learning, Anti-Scanning, Shock Sensing, Starter Disable, Light Flashing, Door Lock Interface, Trunk Release, Dome Light Supervision, Passive/Active Operation, Status Indicator, Mode Switch, Panic, Self Diagnostics, and On Board Relays.

## TO DEALERS

A (5) Year, and Warranty To express our confidence and insure yours.

## TO CUSTOMERS

We offer a \$1000.00 Loss Protection Program that covers the Entire Insurance deductible, for

## PLUS

Rental Car Reimbursement during the repair period. Limited to one week or \$200.00.

## PLUS

A national discount number for AVIS, as our preferred rental car provider, any time a rental car is needed, for any reason. Customer identification information is included with every system!

## TO PROFITS

Quality, Warranty, and Customer Support programs are only a part of our total commitment.

When combined with Competitive Pricing, Price Protection, and Selected Distribution, an

"Authorized S.D.I. Dealership" is a valuable Asset!

SECURITY DEVICES INC. A Division of Medco Automotive, Inc. 15624 Chemical Rd. Suite A Huntington Beach, CA 92649-1000 SDI-TELE (1-800-735-4836)  
Circle 48 on Inquiry Card

March 1994

Installation Service